# 2004 Chevrolet Express Cargo Van

CG23705 2500 155" WB RWD

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT PRICE: \$20,947.00 CONTRACT: A53312 CONTRACTOR: HERTRICH FLEET SERVICES

### **TABLE OF CONTENTS**

#### **TABLE OF CONTENTS - CG23705 2500 155" WB RWD**

Vehicle Details
Color Availability
Warranty Information
Window Sticker
Technical Specifications

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

CONTRACT PRICE: \$20,947.00 CONTRACTOR: HERTRICH FLEET SERVICES

September 30, 2003 1:01:07 PM

### **VEHICLE DETAILS**

#### STANDARD EQUIPMENT - CG23705 2500 155" WB RWD

#### **EMISSIONS CERTIFICATION**

- LEV certified (4.3L engine/4-speed auto trans/federal emissions) (2003)
- LEV certified (5.3L engine/4-speed auto trans/CA/NE emissions) (2003)

#### **EPA FUEL ECONOMY RATINGS**

- City 15/hwy 20 (4.3L engine/4-speed auto trans) (2003)
- City 15/hwy 18 (5.3L engine/4-speed auto trans) (2003)

#### **EXTERIOR**

- · Body, standard
- Bumpers, front and rear, painted Black, includes step-pad (Not available with (ZR7) Chrome Appearance package.)
- · Grille, Black composite
- Headlamps, single rectangular halogen
- · Daytime running lamps
- Mirrors, outside rearview, manual folding, Black
- Glass, Solar-Ray light tinted, all windows
- · License plate bracket, front
- Wipers, intermittent, front wet-arm with pulse washers
- Door, swing-out passenger side, 60/40 split

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

### **VEHICLE DETAILS**

#### STANDARD EQUIPMENT - CG23705 2500 155" WB RWD

#### **INTERIOR**

- Seats, driver and passenger high-back reclining buckets, adjustable, with head restraints and vinyl or cloth trim
- Seats, front vinyl reclining buckets, includes head restraints
- Floor covering, Black rubberized vinyl full length floor covering \*Deleted by (Y3H) Paratransit Package\*
- Key, single, 2-sided
- Instrumentation, analog, includes speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Oil life monitor
- Steering wheel, steel sleeve column, includes theft deterrent locking feature, Black
- · Warning tones, headlamp on
- Tow/haul mode selector, IP mounted
- Theft-deterrent system, PASSLock
- · Air conditioning, front manual
- Defogger, side window
- Sound system, ETR AM/FM stereo includes seek-and-scan and digital clock. Includes front door speakers (2)
- Cupholders, 3, on engine console cover
- Power outlet, auxiliary, 2 covered, on engine console cover, 12-volt
- Mirror, inside rearview, manual day/night
- · Headliner, cloth, over driver and passenger
- Visors, padded, driver and passenger side with vinyl trim
- Assist handle, front passenger
- · Lighting, 2 dome lamps, includes defeat switch and door handle-activated switches

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

### **VEHICLE DETAILS**

#### STANDARD EQUIPMENT - CG23705 2500 155" WB RWD

#### **MECHANICAL**

- Engine, Vortec 4300 V6 MFI (195 HP [145.4 kW] @ 4600 rpm, 260 lb.-ft. [351.0 N-m] @ 2800 rpm) (Standard on CG13405 model. Standard on CG23705 if ordered with (C6A GVWR, 7300lbs.)
- Transmission, 4-speed automatic, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Please reference Engine/Axle page to verify availability.)
- Brake/transmission shift interlock, automatic transmission
- Rear axle, 3.73 ratio (Please reference Engine/Axle page to verify availability.)
- · Rear wheel drive
- Battery, 600 cold-cranking amps, includes rundown protection and retained accessory power
- Alternator, 105 amps
- GVWR, 7300 lbs. (3311 kg) (Requires CG23705 Model. Not available with CG23405 Models.)
- Frame, full-length box ladder type
- Suspension, front, independent coil springs and stabilizer bar (Requires rear-wheel drive Models.)
- · Suspension, rear, hypoid drive axle, with multi-leaf springs
- Tires, front LT245/75R16E, all-season, blackwall (Requires (C6A) GVWR, 7300 lbs. (3311 kg) or (C6Y) GVWR, 9600 lbs. (4354 kg). Standard and available on CG23705, CG33405 and CG33705 Models.)
- Tires, rear LT245/75R16E, all-season, blackwall (Requires (C6A) GVWR, 7300 lbs. (3311 kg) or (C6Y) GVWR, 9600 lbs. (4354 kg). Standard and available on CG23705, CG33405 and CG33705 Models.)
- Tire, spare LT245/75R16E, all-season, blackwall, located at rear underbody of vehicle (Requires (C6A) GVWR, 7300 lbs. (3311 kg) or (C6Y) GVWR, 9600 lbs. (4354 kg). Standard and available on CG23705, CG33405 and CG33705 Models.)
- Wheels, Gray painted, includes Gray center caps and steel spare
- · Steering, power
- · Brakes, 4-wheel antilock, 4-wheel disc
- Fuel capacity, approximate, 31 gallon
- Exhaust, aluminized stainless-steel muffler and tailpipe

NOTE

• \*\*ALL STANDARDS ARE 2004 UNLESS OTHERWISE NOTED\*\*

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right front passenger (Includes passenger side air bag deactivation switch on models with GVWR, 8600 lbs. (3901 kg) and above. Always use safety belts and proper child restraints, even with air bags. Children are safer when properly secured in a rear seat. See the Owner's Manual for more safety information.)
- Brake/transmission shift interlock, automatic transmission
- Door beams, steel-side
- Daytime running lamps

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

### **VEHICLE DETAILS**

#### SELECTED MODEL - CG23705 2500 155" WB RWD

 Code
 Description
 Front Wt
 Rear Wt

 CG23705
 2004 Chevrolet Express Cargo Van 2500
 \* 3,012.70
 \* 2,702.50

155" WB RWD

#### SELECTED VEHICLE COLORS - CG23705 2500 155" WB RWD

<u>Code</u> <u>Description</u>

Interior: No color has been selected.
 Exterior 1: No color has been selected.
 Exterior 2: No color has been selected.

#### SELECTED OPTIONS - CG23705 2500 155" WB RWD

#### **CATEGORY**

<u>Code</u> <u>Description</u>

**BODY CODE** 

ZW9 BODY, STANDARD

**GVWR** 

C5F GVWR, 8500 LBS. (3856 KG) (Requires CG23405 or CG23705 Models.)

(Requires (KL6) or (KL8) CNG System) (Not available with Y3G Mobility

Package or Y3H Paratransit Package)

**EMISSIONS** 

FE9 EMISSIONS, FEDERAL REQUIREMENTS ((FE9) Emissions, Federal

requirements is fifty state emissions certified when ordered with (LU3) Engine, Vortec 4300 V6 MFI or (LM7) Engine, Vortec 5300 V8 SFI.)

**ENGINE** 

LQ4 ENGINE, VORTEC 6000 V8 SFI (300 HP [223.8 kW] @ 4400 RPM, 360

lb.-ft. [486.6 N-m] @ 4000 RPM) (Includes external engine oil cooler. Standard on CG33405 model. Standard on CG33705 model. Available on CG23405 model with (C6P) GVWR, 8600 lbs. Available on CG23705 model with (C6P) GVWR, 8600 lbs.) (With (Y3H) Paratransit Package, includes external engine oil cooler. Engine must be ordered. Standard on the CG33405 and CG33705 models. On the \*G23405 and \*G23705 (LQ4) is a priceable option. Available on CG23405 Model with (C6P) GVWR, 8600 lbs. Available on CG23705 model with (C6P) GVWR, 8600 lbs.) (With (KL6) Bi-fuel Compressed Natural Gas (CNG) System or (KL8) Dedicated Compressed Natural Gas (CNG) System, includes external engine oil cooler. Engine must be ordered. (LQ4) is included in the base price on 1 ton models and available at a charge on 3/4 ton

models.)

TRANSMISSION

MT1 TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY,

ELECTRONICALLY CONTROLLED with overdrive, tow/haul mode and internal transmission oil cooler (Please reference Engine/Axle page to

verify availablitiy.)

**DIFFERENTIAL** 

NO LOCKING DIFFERENTIAL

AXLE

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

CONTRACT PRICE: \$20,947.00 CONTRACTOR: HERTRICH FLEET SERVICES

September 30, 2003 1:01:08 PM

Page 6

### **VEHICLE DETAILS**

### SELECTED OPTIONS - CG23705 2500 155" WB RWD

CATEGORY	
<u>Code</u>	<u>Description</u>
AXLE	
GT4	REAR AXLE, 3.73 RATIO (STD) (Please reference Engine/Axle page to verify availability.)
SIDE DOOR E24	DOOR, SWING-OUT PASSENGER SIDE, 60/40 SPLIT (STD)
PRFFFRRFD F	EQUIPMENT GROUP
1SA	PREFERRED EQUIPMENT GROUP, includes Standard Equipment
TIRES	
XHH	TIRES, FRONT LT245/75R16E, ALL-SEASON, BLACKWALL (STD) (Without (KL6) or (KL8) CNG System, Requires (C6A) GVWR, 7300 lbs. (3311 kg) or (C6Y) GVWR, 9600 lbs. (4354 kg). Standard and available on CG23705, CG33405 and CG33705 Models.)
YHH	TIRES, REAR LT245/75R16E, ALL-SEASON, BLACKWALL (STD) (Without (KL6) or (KL8) CNG System, Requires (C6A) GVWR, 7300 lbs. (3311 kg) or (C6Y) GVWR, 9600 lbs. (4354 kg). Standard and available
ZHH	on CG23705, CG33405 and CG33705 Models.) TIRES, SPARE LT245/75R16E, ALL-SEASON, BLACKWALL, LOCATED AT REAR UNDERBODY OF VEHICLE (STD) (Without (KL6) or (KL8) CNG System, Requires (C6A) GVWR, 7300 lbs. (3311 kg) or (C6Y) GVWR, 9600 lbs. (4354 kg). Standard and available on CG23705, CG33405 and CG33705 Models.)
SEATING ARR	
ZX2	SEATS, DRIVER AND PASSENGER HIGH-BACK RECLINING BUCKETS, ADJUSTABLE, with head restraints and vinyl or cloth trim (STD)
SEAT TYPE	
AR7	SEATS, FRONT VINYL RECLINING BUCKETS, includes head restraints (STD)
SEAT TRIM	
W	SEAT TRIM, CUSTOM VINYL (STD)
PAINT	
ZY1	SOLID PAINT (STD)
AIR CONDITIO	NING
C60	AIR CONDITIONING, FRONT MANUAL (STD) (With (Y3H) Paratransit Package, upgradable to (C69) Air conditioning, rear. Included at no charge with (Y3G) and (Y3H) packages.)
RADIO UM7	SOUND SYSTEM, ETR AM/FM STEREO, includes seek-and-scan and digital clock. Includes front door speakers (2) (STD) (Upgradeable to (U1C) Sound system, ETR AM/FM stereo with CD player. Not available with (UE1) OnStar. Included at no charge with the (Y3H) package.)
WHEELS —	WHEELS, GRAY PAINTED, includes Gray center caps and steel spare (STD)
GLASS PACKA	· · ·
	STANDARD WINDOW ARRANGEMENT (STD) (Not available with (Y3H) Paratransit Package.)
ADDITIONAL C	

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

Page 7

### **VEHICLE DETAILS**

### SELECTED OPTIONS - CG23705 2500 155" WB RWD

### **CATEGORY**

<u>Code</u>	<u>Description</u>
ADDITIONAL O	PTIONS
KL5	ALTERNATIVE FUEL CONVERSION-READY ENGINE, includes internal
	modifications for operation with natural or propane gas (Included with
	(KL6) Bi-Fuel Compressed Natural Gas (CNG) system and (KL8)
	Dedicated Compressed Natural Gas (CNG) system. Requires (LQ4)
	Engine, Vortec 6000 V8 SFI.)
KL6	BI-FUEL COMPRESSED NATURAL GAS (CNG) SYSTEM (complete
	vehicle and system ready). Includes (KL5) Alternative fuel conversion-
	ready engine, CNG tanks and fuel system. (Requires (LQ4 Engine,
	Vortec 6000 V8 SFI.) (Not available with (Y3H) Paratransit Package.)

#### **OPTIONS TOTAL**

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

### **VEHICLE DETAILS**

### **PRICING SUMMARY - CG23705 2500 155" WB RWD**

Base Price

**Total Options:** 

Vehicle Subtotal

Advert/Adjustments

**Destination Charge** 

**GRAND TOTAL** 

#### WEIGHT RATINGS - CG23705 2500 155" WB RWD

Front Gross Axle Weight Rating: \* 4,100.00

Rear Gross Axle Weight Rating: \* 5,360.00

Gross Vehicle Weight Rating: \* 8,500.00

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

# **COLOR AVAILABILITY**

#### **COLOR CHART - CG23705 2500 155" WB RWD**

EXTERIOR	IN	ITERIOR
	Ntrl (52W)	Med Pwtr (93W)
Light Pewter Metallic (11U)	X	X
Indigo Blue Metallic (39U)	X	Χ
Black (41U)	X	Χ
Dark Green Metallic (47U)	Χ	Χ
Summit White (50U)	Χ	Χ
Sandalwood Metallic (58U)	Χ	
Dark Gray Metallic (62U)		Χ
Victory Red (74U)	Χ	Χ
Berry Red Metallic (87U)	Χ	Χ

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

# WARRANTY INFORMATION

#### WARRANTY INFORMATION - CG23705 2500 155" WB RWD

WARRANTY

Basic: 3 Years/36,000 Miles Drivetrain: 3 Years/36,000 Miles Corrosion: 6 Years/100,000 Miles

Roadside Assistance: 3 Years/36,000 Miles

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

CONTRACT PRICE: \$20,947.00 CONTRACTOR: HERTRICH FLEET SERVICES

September 30, 2003 1:01:08 PM

# **WINDOW STICKER**

2004 Chevrolet Express Cargo Van 2500 155" WB RWD Int		Interior: - No color has been	selected.
* 6.0L/364 CID * Gas V8  * 4-Speed Automatic w/OD  Exterior 1: - No color has been been been been been been been bee		Exterior 1: - No color has been selected.	
		en selected.	
CODE	MODEL		MSRP
CG23705	2004 Chevrolet Express Cargo Van 2500 155" WE	RWD	\$24,175.00
	OPTIONS		
ZW9	BODY, STANDARD		\$0.00
C5F	GVWR, 8500 LBS. (3856 KG)		\$0.00
FE9	EMISSIONS, FEDERAL REQUIREMENTS		\$0.00
LQ4	ENGINE, VORTEC 6000 V8 SFI		\$1,720.00
MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY	'-DUTY, ELECTRONICALLY CO	\$0.00
	NO LOCKING DIFFERENTIAL		\$0.00
GT4	REAR AXLE, 3.73 RATIO		\$0.00
E24	DOOR, SWING-OUT PASSENGER SIDE, 60/40 S	SPLIT	\$0.00
1SA	PREFERRED EQUIPMENT GROUP,		\$0.00
XHH	TIRES, FRONT LT245/75R16E, ALL-SEASON, BI	ACKWALL	\$0.00
YHH	TIRES, REAR LT245/75R16E, ALL-SEASON, BLA	CKWALL	\$0.00
ZHH	TIRES, SPARE LT245/75R16E, ALL-SEASON, BI	ACKWALL, LOCATED AT REA	\$0.00
ZX2	SEATS, DRIVER AND PASSENGER HIGH-BACK	RECLINING BUCKETS, ADJUS	\$0.00
AR7	SEATS, FRONT VINYL RECLINING BUCKETS,		\$0.00
W	SEAT TRIM, CUSTOM VINYL		\$0.00
ZY1	SOLID PAINT		\$0.00
C60	AIR CONDITIONING, FRONT MANUAL		\$0.00
UM7	SOUND SYSTEM, ETR AM/FM STEREO,		\$0.00
	WHEELS, GRAY PAINTED,		\$0.00
	STANDARD WINDOW ARRANGEMENT		\$0.00
KL5	ALTERNATIVE FUEL CONVERSION-READY EN	GINE,	INC
KL6	BI-FUEL COMPRESSED NATURAL GAS (CNG)	SYSTEM	\$7,545.00
	SUBTOTAL		\$33,440.00
	Advert/Adjustments		\$0.00
	Destination Charge		\$740.00
	TOTAL PRICE		\$34,180.00
Est City: * -	···		
_	y: * - TBD - mpg		
Est Highwa	y Cruising Range: * - TBD - mi		

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

### TECHNICAL SPECIFICATIONS

#### POWERTRAIN - BASIC SPECIFICATIONS - CG23705 2500 155" WB RWD

#### **ENGINE**

 Engine Order Code
 \* LQ4

 Engine Type
 \* Gas V8

 Displacement
 \* 6.0L/364 CID

 SAE Net Horsepower @ RPM
 \* 300 @ 4400

 SAE Net Torque (lb ft) @ RPM
 \* 360 @ 4000

#### **TRANSMISSION**

Transmission order code \* MT1
Transmission Type Description 4-Speed Automatic w/OD
Drive Train Rear Wheel Drive

#### **MILEAGE**

City EPA fuel economy estimate \* - TBD -- TBD 
Hwy EPA fuel economy estimate \* - TBD -- TBD 
City cruising range \* - TBD 
Hwy cruising range \* - TBD 
\* - TBD -- TBD -
TBD -- TBD -- TBD -
\* - TBD -- TBD -
TBD -- TBD -- TBD -

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

CONTRACT PRICE: \$20,947.00 CONTRACTOR: HERTRICH FLEET SERVICES

September 30, 2003 1:01:08 PM

<sup>\*</sup> Indicates equipment which is in addition to or replaces base model's standard equipment.

### TECHNICAL SPECIFICATIONS

### POWERTRAIN - ADVANCED SPECIFICATIONS - CG23705 2500 155" WB RWD

TRANSMISSION				
Gear Ratio (:1)				
First Gear Ratio (:1)	* 2.48			
Second Gear Ratio (:1)	* 1.48			
Third Gear Ratio (:1)	1.00			
Fourth Gear Rato (:1)	* 0.75			
Reverse Ratio (:1)	* 2.08			
Clutch size (in)				
Power Take-Off				
TRANSFER CASE				
Transfer case model				
Gear Ratio (:1)				
Transfer case high gear ratio				
Transfer case low gear ratio				
Transfer case power take off				
DIFFERENTIAL	Front		Rear	
Axle Ratio (:1)			3.73	
ELECTRICAL				
Battery	1	2	3	Total
Battery cold cranking Amps @ 0 F	600.00	N/A		600.00
Alternator				
Alternator Amps	105.00			
COOLING SYSTEM				
Cooling eyetem canacity	* TRD			

Cooling system capacity \* - TBD -Engine oil cooler Yes

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

**SECTION 4 (PRICE LINE 4)** CONTRACT: A53312

<sup>\*</sup> Indicates equipment which is in addition to or replaces base model's standard equipment.

### TECHNICAL SPECIFICATIONS

### PAYLOAD/TRAILERING SPECIFICATIONS - CG23705 2500 155" WB RWD

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Wt Rating (lb)	* 4,100.00	* 5,360.00	* 9,460.00
Curb Weight (lb)	2,816.70	2,225.50	5,042.20
Total Option Weight (lb)	* 196.00	* 477.00	* 673.00
As Spec'd Curb Weight (lb)	* 3,012.70	* 2,702.50	* 5,715.20
As spec'd payload			* 2,784.80
Total Weight			
Reserve Axle Capacity (lb)	*	*	*
Gross Vehicle Wt Rating (lb)			* 8,500.00
Gross Combined Wt Rating (lb)			* 13,000.00
TRAILERING	Max Trailer Wt.	Max Tongue Load	
Dead Weight Hitch (lb)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lb)	* 6,700.00	* 670.00	
Fifth Wheel Hitch (lb)	N/A	* N/A	

<sup>\*</sup> Indicates equipment which is in addition to or replaces base model's standard equipment.

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312

CONTRACT PRICE: \$20,947.00 CONTRACTOR: HERTRICH FLEET SERVICES

September 30, 2003 1:01:08 PM

### TECHNICAL SPECIFICATIONS

### CHASSIS SPECIFICATIONS - CG23705 2500 155" WB RWD

SUSPENSION	Front	Rear	
Spring			
Spring Type	Independent Coil	Hypoid Multi-Leaf	
Spring Capacity	* 4,100.00	* 5,360.00	
Axle			
Axle Type	Independent	Semi-Floating	
Axle Capacity	* 4,100.00	* 5,360.00	
Shock Absorber Diameter (mm)	- TBD -	- TBD -	
Stabilizer Bar Diameter (in)	1.30		
BRAKES			
Brake type	Pwr		
ABS System	4-Wheel		
·	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	* 12.8 x 1.5	13 x 1.14	
Drum			
Drum Diam x Width (in)			
TIRES	Front	Rear	Spare
Tire Order Code	XHH	YHH	ZHH
Tire Size	LT245/75R16E	LT245/75R16E	LT245/75R16E
Capacity	2,205.00	* 3,042.00	1,903.00
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
WHEELS	Front	Rear	Spare
Wheel Size	16 x - TBD -	16 x - TBD -	16 x - TBD -
Wheel Type	Steel	Steel	Steel
STEERING			
Steering type	Pwr-Assisted		
Ratio (:1)	/		
On Center	17.20		
At Lock	17.20		
Turning Diameter			
Curb-to-Curb	- TBD -		
Wall-to-Wall	- TBD -		
FUEL TANK	Main	Auxiliary	
Capacity	* 20.00	, water y	
Location	LH Midship Inboard		

<sup>\*</sup> Indicates equipment which is in addition to or replaces base model's standard equipment.

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

**SECTION 4 (PRICE LINE 4) CONTRACT PRICE:** \$20,947.00 CONTRACT: A53312

CONTRACTOR: HERTRICH FLEET SERVICES

### **TECHNICAL SPECIFICATIONS**

### **DIMENSIONS - CG23705 2500 155" WB RWD**

EXTERIOR DIMENSIONS	
Wheelbase (in)	155.00
Length, Overall w/rear bumper (in)	244.10
Width, Max w/o mirrors (in)	79.40
Height, Overall (in)	82.00
Overhang	
Overhang, Front	- TBD -
Overhang, Rear w/o bumper	
Ground to Top of Load Floor (in)	27.30
Ground Clearance	
Ground Clearance, Front	8.4
Ground Clearance, Rear	8.1
Rear Door	
Rear Door Type	Dual Swing-out
Rear Door Opening Height	49.4
Rear Door Opening Width	57.0
Side Door	
Side Door Type	Swing-out
Side Door Opening Height (in)	47.90
Side Door Opening Width (in)	44.10
Step Up Height - Front (in)	19.60
Step Up Height - Side (in)	20.50
CARGO AREA DIMENSIONS	
Length @ Floor	
Cargo Area Length @ Floor to Console (in)	173.60
Cargo Area Length @ Floor to Seat 1	147.8
Width	
Cargo Area Width @ Beltline	- TBD -
Cargo Box Width @ Wheelhousings	52.7
Cargo Box (Area) Height (in)	51.90
Cargo Volume (ft³)	261.60
INTERIOR DIMENSIONS	
Passenger Capacity	2
Seating Position	Front
Head Room (in)	40.20
Leg Room (in)	41.30
Shoulder Room (in)	68.80
Hip Room (in)	65.50

<sup>\*</sup> Indicates equipment which is in addition to or replaces base model's standard equipment.

ALTERNATIVE FUEL VEHICLES (AFV), CARGO VAN, DED/BI-FUEL CNG - T2096

SECTION 4 (PRICE LINE 4) CONTRACT: A53312